


# Vascular Access and Fluid Management Products

European CE Marked Products  
Ordering Information  
2009



## CUSTOMER ORDERING INFORMATION



Navilyst Medical Customer Service Representatives will be happy to help you with any questions. We are eager to help make the ordering process as simple and efficient as possible.

# Table of Contents

<b>TERMS AND CONDITIONS</b> .....	<b>1</b>	<b>Manifolds</b> .....	<b>10</b>
<b>VASCULAR ACCESS</b> .....	<b>2-5</b>	<ul style="list-style-type: none"> <li>■ COMPENSATOR™ Pressure Monitoring Manifolds</li> <li>■ PERCEPTOR Pressure Monitoring Manifolds</li> <li>■ Traditional Angiographic Manifolds</li> <li>■ Traditional Manifolds and Accessories for Pressure Monitoring</li> </ul>	
<b>Implantable Ports</b> .....	<b>2</b>	<b>Pressure Monitoring Lines</b> .....	<b>13</b>
<ul style="list-style-type: none"> <li>■ Vaxcel™ Implantable Chest Ports with PASV™ Valve Technology</li> <li>■ Implantable Chest Ports with PASV Valve Technology – Single Lumen</li> <li>■ Implantable Chest Ports with PASV Valve Technology – Dual Lumen</li> </ul>		<b>Pressure Monitoring Accessories for COMPENSATOR Manifolds</b> ...	<b>14</b>
<b>Vaxcel PICCs with PASV Valve Technology</b> .....	<b>3</b>	<b>Pressure Monitoring Accessories for PERCEPTOR Disposable Transducers</b> .....	<b>14</b>
<ul style="list-style-type: none"> <li>■ Catheter Kits</li> <li>■ Peelable Introducer Kits</li> <li>■ MST Kits with 30 cm Wire</li> <li>■ MST Kits with 60 cm Wire</li> <li>■ IR Kits with 145 cm Wire</li> </ul>		<b>Pressure Monitoring Reusable Mounting Clamps for Monitoring Manifolds</b> .....	<b>14</b>
<b>Dialysis Catheters</b> .....	<b>4</b>	<b>Pressure Monitoring Standard Pole Mount Kits</b> .....	<b>14</b>
<ul style="list-style-type: none"> <li>■ Vaxcel Plus Chronic Dialysis Catheters and Kits</li> </ul>		<b>Reusable Pressure Monitoring Cables (Device-to-Monitor)</b> .....	<b>15</b>
<b>Vascular Access Accessories</b> .....	<b>5</b>	<b>Stopcocks and Stopcocks Sets</b> .....	<b>20</b>
<ul style="list-style-type: none"> <li>■ Vaxcel Mini-Stick™ Vascular Entry Systems</li> <li>■ Insertion Kits</li> </ul>		<ul style="list-style-type: none"> <li>■ Arterial Extension Set with Stopcock</li> <li>■ Extension Sets with Stopcock</li> <li>■ Stopcocks</li> </ul>	
<b>NAMIC™ FLUID MANAGEMENT</b> .....	<b>6-24</b>	<b>Syringes</b> .....	<b>22</b>
<b>Closed Fluid Systems</b> .....	<b>6</b>	<ul style="list-style-type: none"> <li>■ Angiographic Control Syringes</li> <li>■ Radiology Control Syringes</li> </ul>	
<b>Contrast Injection Lines</b> .....	<b>7</b>	<b>Torque Devices</b> .....	<b>23</b>
<b>Contrast Management Systems</b> .....	<b>8</b>	<b>Y- and Tri-Adaptors</b> .....	<b>23</b>
<b>Core Wires</b> .....	<b>8</b>	<ul style="list-style-type: none"> <li>■ Y-Adaptors</li> <li>■ Y-Adaptor Kits</li> <li>■ Tri-Adaptors</li> <li>■ Tri-Adaptor Kits</li> </ul>	
<ul style="list-style-type: none"> <li>■ Angiographic Core Wires</li> </ul>		<b>Other Fluid Management Products</b> .....	<b>24</b>
<b>Disposable Transducers</b> .....	<b>9</b>	<ul style="list-style-type: none"> <li>■ Adaptors/Connectors</li> <li>■ Standard Cardiovascular Kits</li> <li>■ Standard Radiology and Right Heart Catheterization</li> </ul>	
<ul style="list-style-type: none"> <li>■ PERCEPTOR™ DT Disposable Transducers</li> </ul>		<b>PRODUCT CODE INDEX</b> .....	<b>25-30</b>
<b>Essentials™ Kit</b> .....	<b>9</b>		
<b>Fluid Delivery Systems</b> .....	<b>10</b>		

This Price List is intended for ordering information only. Please refer to the *Instructions for Use* for product indications and *Product Specification Sheet* for specifications.



## TERMS AND CONDITIONS - Effective 1 January 2009

Place your order directly with Navilyst Medical Customer Service by mail, telephone, fax or Electronic Data Interchange (EDI).

Navilyst Medical, Inc., 10 Glens Falls Technical Park, Glens Falls, NY 12801

**To Place An Order:** Phone: 518.742.4360 • Fax: 518.742.4459

**Billing Inquiries:** Phone: 518.742.4360

### HOURS:

Customer Service is available from 8:00 am EST to 7:00 pm EST weekdays excluding national holidays.

### TERMS:

Payment, shipment and pricing terms are as set forth in your International Distributorship Agreement.

### STANDING ORDERS:

Navilyst Medical accepts standing orders on all products. This convenience provides you with scheduled shipments using a single purchase order. Contact the Customer Service Contracts Department at 518.742.4360.

### TO RETURN GOODS:

The circumstances in which you may return products, and the terms applicable to any such returns, are set forth in your International Distributorship Agreement.

#### TO RETURN GOODS (as permitted by the terms of your International Distributorship Agreement):

- Contact Customer Service for a return authorization number at 518.742.4360.
- For product complaints, please email the complaint notification form to [navilystcomplaintmailbox@navilyst.com](mailto:navilystcomplaintmailbox@navilyst.com).
- Identify the customer account number, catalog number, size, quantity, lot number, invoice number and the reason for the return.
- Clearly identify the RGA number on your shipping paperwork.
- Ship product returns to:

Navilyst Medical, Inc., 10 Glens Falls Technical Park, Glens Falls, NY 12801

### SPECIFICATION CHANGES; NOTICE:

As we are continually improving our products, the equipment supplied may not agree in all details with the description and specification shown in the catalog and/or price list. All prices and specifications are subject to change in accordance with the terms of your International Distributorship Agreement. Federal Law (USA) restricts these devices to sale by or on the order of a physician. Indications, contraindications, and instructions for use, as well as product warranty information, can be found in the product labeling supplied with each device. Navilyst Medical makes no warranties, express or implied, including but not limited to, any implied warranty of merchantability of fitness for a particular purpose, except as specifically set forth in the product labeling supplied with each device or in your International Distributorship Agreement.

### WARNING REGARDING SINGLE USE DEVICES:

Products marked as 'single-use' are for single-use only. Do not reuse, reprocess or resterilize single-use products. Reuse, reprocessing or resterilization may compromise the structural integrity of the device and/or lead to device failure which in turn may result in patient injury, illness or death. Reuse, reprocessing or resterilization may also create a risk of contamination of the device and/or cause patient infection or cross-infection, including, but not limited to, the transmission of infectious disease(s) from one patient to another. Contamination of the device may lead to injury, illness, or death of the patient. **Navilyst Medical assumes no liability with respect to instruments reused, reprocessed or resterilized and makes no warranties, express or implied, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose, with respect to any such instrument.**

**Note:** Indications, contraindications, warnings and instructions for use can be found in the instructions for use supplied with each device. Products shown are subject to modification without prior notice.

# VASCULAR ACCESS

## IMPLANTABLE PORTS

### ■ VAXCEL™ IMPLANTABLE CHEST PORTS WITH PASV™ VALVE TECHNOLOGY

UPN	Order Number	Description
<b>M001452130</b>	45-213	Vaxcel w/PASV Mini/T/PU/6/1.1/1.9/63
<b>M001452150</b>	45-215	Vaxcel w/PASV Mini/T/PU/8/1.6/2.6/63
<b>M001452200</b>	45-220	Vaxcel w/PASV Mini/T/S/8/1.4/2.6/63
<b>M001453620</b>	45-362	Vaxcel w/PASV Standard/T/PU/8/1.6/2.6/63
<b>M001453640</b>	45-364	Vaxcel w/PASV Standard/T/S/8/1.4/2.6/63
<b>M001453660</b>	45-366	Vaxcel w/PASV Standard/PS/PU/8/1.6/2.6/63
<b>M001453680</b>	45-368	Vaxcel w/PASV Standard/PS/S/8/1.4/2.6/63

Key: Port Type/Port Material/Catheter Material/Catheter Size (F)/Catheter I.D. (mm)/Catheter O.D. (mm)/Catheter Length (cm)

PS = Polysulfone PU = Polyurethane T = Titanium S = Silicone

Each System Contains: Vaxcel Implantable Port with PASV Valve and Detached Thin Walled Catheter, 63 cm Length; Two Twist-On Locking Collar Connectors; 18 Gauge, 7 cm (2.75") Introducer Needle; 1.01 mm (0.038") J-Tip Guidewire with Tip Straightener, 50 cm Length; Peelable Introducer/Dilator Set; Metal Tunneler; 1.3 cm (0.5") Blunt Cannula; 12 mL Slip Lock Syringe; 12 mL Luer Lock Syringe; 22 Gauge, 2.54 cm (1") Straight Non-Coring Needle; 22 Gauge, 2.54 cm (1") 90° Non-Coring Needle.

### ■ IMPLANTABLE CHEST PORTS WITH PASV VALVE TECHNOLOGY – SINGLE LUMEN

UPN	Order Number	Description
<b>M001PRTA66A0</b>	PRTA66A	PASV PORT/6.6/SL/T/A
<b>M001PRTA66P0</b>	PRTA66P	PASV PORT/6.6/SL/T/PA
<b>M001PRTA96A0</b>	PRTA96A	PASV PORT/9.6/SL/T/A
<b>M001PRTA96P0</b>	PRTA96P	PASV PORT/9.6/SL/T/PA

Key: Port Type/Catheter (F)/Number of Lumens/Port Material/Securement Option

SL = Single Lumen T = Titanium A = Attachable Port PA = Pre-Attached Port

Each System Contains: One Implantable Port with PASV Valve and Silicone Catheter, 60 cm Length; 18 Gauge, 7 cm (2.75") Introducer Needle; 1.01 mm (0.038") J-Tip Guidewire with Tip Straightener, 65 cm Length; Peelable Introducer/Dilator Set; Tunneler; 16 Gauge Blunt Needle; 10 mL Slip Lock Syringe; 22 Gauge, 2.54 cm (1"), Non-Coring Needle; One Vein Pick; One Winged Infusion Set, 20 Gauge.

### ■ IMPLANTABLE CHEST PORTS WITH PASV VALVE TECHNOLOGY – DUAL LUMEN

UPN	Order Number	Description
<b>M001PRTB10A0</b>	PRTB10A	PASV PORT/10/DL/T/A
<b>M001PRTB10P0</b>	PRTB10P	PASV PORT/10/DL/T/PA

Key: Port Type/Catheter (F)/Number of Lumens/Port Material/Securement Option

DL = Dual Lumen T = Titanium A = Attachable Port PA = Pre-Attached Port

Each System Contains: One Implantable Port with PASV Valve and Silicone Catheter, 60 cm Length; 18 Gauge, 7 cm (2.75") Introducer Needle; 1.01 mm (0.038") J-Tip Guidewire with Tip Straightener, 65 cm Length; Peelable Introducer/Dilator Set; Tunneler; 16 Gauge Blunt Needle; 10 mL Slip Lock Syringe; 22 Gauge, 2.54 cm (1"), Non-Coring Needle; One Vein Pick; Two Winged Infusion Sets.

# VASCULAR ACCESS

## VAXCEL™ PICCS WITH PASV™ VALVE TECHNOLOGY

### ■ CATHETER KITS

UPN	Order Number	Description
<b>M001454550</b>	45-455	4 F, Single Lumen
<b>M001454600</b>	45-460	5 F, Single Lumen
<b>M001454700</b>	45-470	5 F, Dual Lumen
<b>M001454750</b>	45-475	6 F, Dual Lumen

Each Kit Contains: Catheter; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; 60 cm Tape Measure; StatLock™ Catheter Securement Device; and End Cap(s).

### ■ PEELABLE INTRODUCER KITS

UPN	Order Number	Description
<b>M001454560</b>	45-456	4 F, Single Lumen
<b>M001454610</b>	45-461	5 F, Single Lumen
<b>M001454710</b>	45-471	5 F, Dual Lumen

Each Kit Contains: Catheter; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; 60 cm Tape Measure; 10 mL Luer Lock Syringe(s); Peelable Sheath Introducer Needle; StatLock Catheter Securement Device; End Cap(s); and CSR Wrap.

### ■ MST KITS WITH 30 CM WIRE

UPN	Order Number	Description
<b>M001454570</b>	45-457	4 F, Single Lumen
<b>M001454620</b>	45-462	5 F, Single Lumen
<b>M001454720</b>	45-472	5 F, Dual Lumen
<b>M001454770</b>	45-477	6 F, Dual Lumen

Each Kit Contains: Catheter; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; 60 cm Tape Measure; 10 mL Luer Lock Syringe(s); 21 Gauge, 3.8 cm (1.5") Introducer Needle with Echogenic Tip; 30 cm Guidewire with Double Floppy Tip; Scalpel; 5 cm Peelable Sheath/Dilator; StatLock Catheter Securement Device; End Cap(s); and CSR Wrap.

### ■ MST KITS WITH 60 CM WIRE

UPN	Order Number	Description
<b>M001454590</b>	45-459	4 F, Single Lumen
<b>M001454640</b>	45-464	5 F, Single Lumen
<b>M001454740</b>	45-474	5 F, Dual Lumen
<b>M001454790</b>	45-479	6 F, Dual Lumen

Each Kit Contains: Catheter; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; 60 cm Tape Measure; 10 mL Luer Lock Syringe(s); 21 Gauge, 7 cm (2.75") Safety Introducer Needle with Echogenic Tip; 21 Gauge, 7 cm (2.75") Standard Introducer Needle with Echogenic Tip; 60 cm Guidewire with Floppy Platinum Tip; Safety Scalpel; 10 cm Peelable Sheath/Dilator; StatLock™ Catheter Securement Device; and End Cap(s).

### ■ IR KITS WITH 145 CM WIRE

UPN	Order Number	Description
<b>M001454580</b>	45-458	4 F, Single Lumen
<b>M001454630</b>	45-463	5 F, Single Lumen
<b>M001454730</b>	45-473	5 F, Dual Lumen
<b>M001454780</b>	45-478	6 F, Dual Lumen

Each Kit Contains: Catheter; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; 60 cm Tape Measure; 10 mL Luer Lock Syringe(s); 21 Gauge, 7 cm (2.75") Safety Introducer Needle with Echogenic Tip; 21 Gauge, 7 cm (2.75") Standard Introducer Needle with Echogenic Tip; 145 cm Hydrophilic-Coated Guidewire with Floppy Platinum Tip; Safety Scalpel; 10 cm Peelable Sheath/Dilator; StatLock Catheter Securement Device; and End Cap(s).

# VASCULAR ACCESS

## DIALYSIS CATHETERS

### ■ VAXCEL™ PLUS CHRONIC DIALYSIS CATHETERS AND KITS

UPN	Order Number	Description
M001455410	45-541	Catheter/CPU/14.5/19/Plastic
M001455450	45-545	Catheter/CPU/14.5/23/Plastic
M001455490	45-549	Catheter/CPU/14.5/28/Plastic
M001455530	45-553	Catheter/CPU/14.5/37/Plastic
M001455570	45-557	Catheter/CPU/14.5/50/Plastic
M001455400	45-540	Catheter/CPU/14.5/19/Metal
M001455440	45-544	Catheter/CPU/14.5/23/Metal
M001455480	45-548	Catheter/CPU/14.5/28/Metal
M001455520	45-552	Catheter/CPU/14.5/37/Metal
M001455560	45-556	Catheter/CPU/14.5/50/Metal
M001455430	45-543	Kit/CPU/14.5/19/Plastic
M001455470	45-547	Kit/CPU/14.5/23/Plastic
M001455510	45-551	Kit/CPU/14.5/28/Plastic
M001455550	45-555	Kit/CPU/14.5/37/Plastic
M001455590	45-559	Kit/CPU/14.5/50/Plastic
M001455420	45-542	Kit/CPU/14.5/19/Metal
M001455460	45-546	Kit/CPU/14.5/23/Metal
M001455500	45-550	Kit/CPU/14.5/28/Metal
M001455540	45-554	Kit/CPU/14.5/37/Metal
M001455580	45-558	Kit/CPU/14.5/50/Metal

Key: Catheter Type/Catheter Material/Sheath Size (F)/Catheter Length (cm)/Tunneler Type

CPU = Carbothane Polyurethane

Each System Contains: Vaxcel Plus Chronic Dialysis Catheter; 14.5 F Peelable Sheath with Locking Dilator; Plastic or Metal Tunneler; Two Dead-End Caps.

Each Kit Contains: Vaxcel Plus Chronic Dialysis Catheter; 14.5 F Peelable Sheath with Locking Dilator; Plastic or Metal Tunneler; Two Dead-End Caps; 18 Gauge Safety Entry Needle; 1.01 mm (0.038") Guidewire, 70 cm Length; Safety Scalpel; Three Sequential Dilators (8, 10, and 12 F); Two Transparent Dressings; CSR Wrap.

# VASCULAR ACCESS

## VASCULAR ACCESS ACCESSORIES

### ■ VAXCEL MINI-STICK™ VASCULAR ENTRY SYSTEMS

UPN	Order Number	Description
<b>Coaxial Entry Kits</b>		
M001459801	45-980	Coaxial/4/SS/SS
M001459871	45-987	Coaxial/4/SS/P
M001459881	45-988	Coaxial/4/Nitinol/P
M001459861	45-986	Coaxial/4.5/SS/SS
M001459811	45-981	Coaxial/4.5/SS/P
M001459821	45-982	Coaxial/4.5/Nitinol/P
M001459921	45-992	Coaxial/5/SS/SS
M001459931	45-993	Coaxial/5/SS/P
M001459941	45-994	Coaxial/5/Nitinol/P

Key: Sheath Type/Sheath Size (F)/Wire Material/Tip Material

SS = Stainless Steel P = Platinum

Each Kit Contains: One 21 Gauge Entry Needle; One 0.51 mm (0.018") Guidewire, 40 cm Length; One Sheath with Locking Dilator.

### Peelable Entry Kits

M001459841	45-984	Peelable/5/SS/P
M001459851	45-985	Peelable/6/SS/P
M001459891	45-989	Peelable/4.5/Nitinol/P
M001459901	45-990	Peelable/5/Nitinol/P
M001459911	45-991	Peelable/6/Nitinol/P

Key: Sheath Type/Sheath Size (F)/Wire Material/Tip Material

SS = Stainless Steel P = Platinum

Each Kit Contains: One 21 Gauge Entry Needle; One 0.51 mm (0.018") Guidewire, 60 cm Length; One Sheath with Locking Dilator.

### ■ INSERTION KITS

UPN	Order Number	Description
M001MS3K1	MS3K	3 F MST Insertion Kit
M001MS4K1	MS4K	4.5 F MST Insertion Kit
M001MS5K1	MS5K	5 F MST Insertion Kit
M001MS6K1	MS6K	6 F MST Insertion Kit

Each Kit Contains: 21 Gauge, 3.8 cm (1.5") Introducer Needle; 30 cm Guidewire with Double Floppy Tip; Scalpel; and 5 cm Peelable Sheath/Dilator.

# NAMIC™ FLUID MANAGEMENT

## ■ CLOSED FLUID SYSTEMS

UPN	Description
<b>ANGIO-SAC™ Collection System</b>	
H965640009251	1000 Milliliter Capacity with Female Luer Slip
H965905000181	1000 Milliliter Capacity with Male Luer Lock
H965905000281	1500 Milliliter Capacity with Male Luer Lock
<b>Closed Fluid Systems for Abscess Drainage</b>	
H965905000401	Abscess Evacuation Set
<b>Closed Fluid Systems for Angiography</b>	
H965640009341	Protection Station™ for Non-Pressurized Fluid Applications
H965640009351	Protection Station Plus
H965640009361	Protection Station for Pressurized Fluid Application
H965640009441	Protection Station with Drape Clip
H965640009451	Protection Station Plus with Drape Clip
H965640009551	Protection Station Plus with In-Line Contrast Management System
H965905000601	Filling Station
H965905000651	Filling Station Plus
H965905000701	Dual Backcheck Valve with Fluid Administration Set
H965940009041	Protection Station for Non-Pressurized Fluid Applications with Bifurcated Saline Line
H965940009521	Protection Station for Pressurized Fluid Application with In-Line Three-Way
H965940009541	Protection Station for Pressurized Fluid Application w/Bifurcated Saline Line
<b>Closed Fluid Waste Management Systems</b>	
H749913102001	Standard Protection Station System
H749913102101	Standard Protection Station System with 10 cc Radiology Control Syringe
H749913102201	Standard Protection Station System with 10 cc Radiology Control Syringe and 122 cm (48") FlexCIL™ Contrast Injection Line
H749913102301	Standard Protection Station System with 10 cc Radiology Control Syringe, Polypropylene Syringes and 122 cm (48") flexCIL™ Contrast Injection Line
H749913103001	Standard Protection Station Plus System
H749913103101	Standard Protection Station Plus System with 10 cc Radiology Control Syringe
H749913103201	Standard Protection Station Plus System with 10 cc Radiology Control Syringe and 122 cm (48") flexCIL™ Contrast Injection Line
H749913103301	Standard Protection Station Plus System with 10 cc Radiology Control Syringe, Polypropylene Syringes and 122 cm (48") FlexCIL™ Contrast Injection Line

# NAMIC™ FLUID MANAGEMENT

## ■ CONTRAST INJECTION LINES

UPN	Fitting	Length
<b>clearaCIL™ High Pressure Contrast Injection Lines, 1200 psi (84 kg/cm2)</b>		
H965910311031	Female Luer Lock to Rotating Adaptor	25 cm (10")
H965910312031	Female Luer Lock to Rotating Adaptor	51 cm (20")
H965910313031	Female Luer Lock to Rotating Adaptor	76 cm (30")
H965910311021	Female Luer Lock to Male Luer Lock	25 cm (10")
H965910312021	Female Luer Lock to Male Luer Lock	51 cm (20")
H965910313021	Female Luer Lock to Male Luer Lock	76 cm (30")
H965910314821	Female Luer Lock to Male Luer Lock	122 cm (48")
H965910314831	Female Luer Lock to Rotating Adaptor	122 cm (48")
<b>flexCIL™ High Pressure Contrast Injection Lines, 1200 psi (84 kg/cm2)</b>		
H965910511031	Female Luer Lock to Rotating Adaptor	25 cm (10")
H965910512031	Female Luer Lock to Rotating Adaptor	51 cm (20")
H965910513031	Female Luer Lock to Rotating Adaptor	76 cm (30")
H965910514831	Female Luer Lock to Rotating Adaptor	122 cm (48")
H965910511021	Female Luer Lock to Male Luer Lock	25 cm (10")
H965910512021	Female Luer Lock to Male Luer Lock	51 cm (20")
H965910513021	Female Luer Lock to Male Luer Lock	76 cm (30")
H965910514821	Female Luer Lock to Male Luer Lock	122 cm (48")
H965910516021	Female Luer Lock to Male Luer Lock	152 cm (60")
H965910516031	Female Luer Lock to Rotating Adaptor	152 cm (60")
H965910517221	Female Luer Lock to Male Luer Lock	183 cm (72")
H965910517231	Female Luer Lock to Rotating Adaptor	183 cm (72")
<b>High Pressure, 1000 psi (70 kg/cm2)</b>		
H965910011031	Female Luer Lock to Rotating Adaptor	25 cm (10")
H965910012031	Female Luer Lock to Rotating Adaptor	51 cm (20")
H965910013031	Female Luer Lock to Rotating Adaptor	76 cm (30")
H965910014831	Female Luer Lock to Rotating Adaptor	122 cm (48")
H965910111021	Female Luer Lock to Male Luer Lock	25 cm (10")
H965910112021	Female Luer Lock to Male Luer Lock	51 cm (20")
H965910113021	Female Luer Lock to Male Luer Lock	76 cm (30")
H965910114821	Female Luer Lock to Male Luer Lock	122 cm (48")
<b>Low Pressure, 500 psi (35 kg/cm2)</b>		
H965910211021	Female Luer Lock to Male Luer Lock	25 cm (10")
H965910212021	Female Luer Lock to Male Luer Lock	51 cm (20")
H965910213021	Female Luer Lock to Male Luer Lock	76 cm (30")
H965910214821	Female Luer Lock to Male Luer Lock	122 cm (48")

# NAMIC™ FLUID MANAGEMENT

## ■ CONTRAST MANAGEMENT SYSTEMS

UPN	Description
<b>Contrast Controller Spike Assembly</b>	
H965904000391	Spike Assembly
H965904008391	Elongated Spike Assembly
<b>Contrast Management Tubing Assemblies</b>	
H965640000101	In-Line Contrast Management System with Two Check Valves and Integral Stopcock
<b>Protection Station™ Plus System with In-Line Contrast Management System</b>	
H965640009551	Protection Station Plus and In-Line Contrast Management System
<b>Squeeze™ Contrast Controller™</b>	
H749904004351	183 cm (72") Tubing Assembly

## ■ ANGIOGRAPHIC CORE WIRES

UPN	Tip Shape	Coating	Size	Length	Other Description
<b>Fixed Core, Exchange</b>					
H965970004051	3 mm J	PTFE	0.94 mm (0.035")	260 cm	
H965970004011	Straight	PTFE	0.94 mm (0.035")	260 cm	
H965970004021	Straight	PTFE	1.01 mm (0.038")	260 cm	
<b>Fixed Core, J-Tip</b>					
H965970003071	1.5 mm J	PTFE	0.94 mm (0.035")	145 cm	Double Distal
H965970002011	1.5 mm J	PTFE	0.94 mm (0.035")	175 cm	
H965970002161	3 mm J	PTFE	0.69 mm (0.025")	145 cm	
H965970002321	3 mm J	PTFE	0.87 mm (0.032")	145 cm	
H965970002021	3 mm J	PTFE	0.94 mm (0.035")	145 cm	
H965970002221	3 mm J (EZ)	PTFE	0.94 mm (0.035")	145 cm	
H965970002081	3 mm J	PTFE	0.94 mm (0.035")	145 cm	Long Taper
H965970002101	3 mm J	PTFE	0.94 mm (0.035")	175 cm	
H965970002051	3 mm J	PTFE	1.01 mm (0.038")	145 cm	
H965970002111	3 mm J	PTFE	1.01 mm (0.038")	175 cm	
H965970002351	6 mm J	PTFE	0.94 mm (0.035")	145 cm	
H965970002171	15 mm J	PTFE	0.94 mm (0.035")	145 cm	

## NAMIC™ FLUID MANAGEMENT

### ■ ANGIOGRAPHIC CORE WIRES

UPN	Tip Shape	Coating	Size	Length	Other Description
<b>Fixed Core, Straight</b>					
H965970001081	Straight	PTFE	<0.51 mm (0.018")	60 cm	Long Taper
H965970001091	Straight	PTFE	<0.69 mm (0.025")	60 cm	Long Taper
H965970001071	Straight	PTFE	<0.69 mm (0.025")	145 cm	
H965970001131	Straight	PTFE	<0.87 mm (0.032")	60 cm	Long Taper
H965970006011	Straight	PTFE	<0.94 mm (0.035")	145 cm	Flexible Tip, 7 cm
H965970001011	Straight	PTFE	<0.94 mm (0.035")	145 cm	
H965970001051	Straight	PTFE	<0.94 mm (0.035")	145 cm	Long Taper
H965970001061	Straight	PTFE	<1.01 mm (0.038")	145 cm	Long Taper, 10 cm
H965970001121	Straight	PTFE	<1.01 mm (0.038")	145 cm	Long Taper, 15 cm
H965970001031	Straight	PTFE	<1.01 mm (0.038")	145 cm	
<b>Movable Core, J-Tip</b>					
H965970005071	.3 mm J	PTFE	0.87 mm (0.032")	145 cm	
H965970005011	.3 mm J	PTFE	0.94 mm (0.035")	145 cm	
H965970005031	.3 mm J	PTFE	1.01 mm (0.038")	145 cm	

### Guidewire Insertion Tools

UPN	Model
H74904490202	Avenue™ Insertion Tool
H965914004001	NAMIC Guidewire Introducer

### ■ DISPOSABLE TRANSDUCERS PERCEPTOR™ DT

UPN	Pigtail Cable Length
H965700300131	61.0 cm (24")
H965700300141	121.9 cm (48")
H965700360011	Kit with Flush Device
H965700361481	Arterial Line Kit – 122 cm (48")
H965700361601	Arterial Line Kit – 152 cm (60")

### ■ ESSENTIALS™ KIT

UPN	Model	Internal Diameter
H74904494102	Essentials Kit	2.9 mm (0.118")

Each Kit Contains: GateWay™ Plus Y-Adaptor, Torque Device and Guidewire Insertion Tool

# NAMIC™ FLUID MANAGEMENT

## ■ FLUID DELIVERY SYSTEMS

UPN	Description
<b>Contrast Removal Valve</b>	
H965913000201	Vented Spike with Female Luer Lock
<b>SOSA™ Pressurized Delivery System</b>	
H965913000211	Double Lumen, One-Way Piercing Spike with 0.2 Micron Filter, Large Bore Tubing, 183 cm (72")
<b>With Drip Chamber</b>	
H965913000011	Micro Non-Vented 15 Micron 122 cm (48")
H965913000051	Macro Vented None 183 cm (72")
H965913000091	Macro Non-Vented None 274 cm (108")
<b>With Drip Chamber</b>	
H965913000111	Macro Non-Vented None 122 cm (48")
H965913000121	Macro Non-Vented None 122 cm (48"), Bifurcated
H965913000131	Macro Non-Vented None 122 cm (48"), Trifurcated
H965913000351	Macro Non-Vented None 122 cm (48"), Trifurcated
H965913000521	Macro Non-Vented 15 Micron 183 cm (72")
H965990000691	Micro Non-Vented None 343 cm (135")
H965990000701	Macro Non-Vented None 343 cm (135")
<b>Without Drip Chamber</b>	
H965913000261	Vented None None 183 cm (72"), Large Bore
H965913000041	Vented None None 183 cm (72")
H965913000071	Vented None None 274 cm (108")

## ■ COMPENSATOR™ PRESSURE MONITORING MANIFOLDS

UPN	Handles	Ports	Style
<b>Four-Valve</b>			
H965700584071	Off	Right	Rotating Adaptor, Medium Pressure
H965700584081	On	Right	Rotating Adaptor, Medium Pressure
H965700584171	Off	Left	Rotating Adaptor, Medium Pressure
<b>One-Valve</b>			
H965700581071	Off	Right	Rotating Adaptor, Medium Pressure
H965700581081	On	Right	Rotating Adaptor, Medium Pressure
<b>Three Valve</b>			
H965700583071	Off	Right	Rotating Adaptor, Medium Pressure
H965700583081	On	Right	Rotating Adaptor, Medium Pressure
H965700583171	Off	Left	Rotating Adaptor, Medium Pressure
<b>Two-Valve</b>			
H965700582071	Off	Right	Rotating Adaptor, Medium Pressure
H965700582081	On	Right	Rotating Adaptor, Medium Pressure
H965700582171	Off	Left	Rotating Adaptor, Medium Pressure

## NAMIC™ FLUID MANAGEMENT

### ■ PERCEPTOR™ PRESSURE MONITORING MANIFOLDS

UPN	Handles	Ports	Style
<b>One-Valve</b>			
H965640371071	Off	Right	Rotating Adaptor, High Pressure with Star Handles
H965700381071	Off	Right	Rotating Adaptor, Medium Pressure
H965700381081	On	Right	Rotating Adaptor, Medium Pressure
<b>Two-Valve</b>			
H965700382071	Off	Right	Rotating Adaptor, Medium Pressure
H965700382081	On	Right	Rotating Adaptor, Medium Pressure
H965700382171	Off	Left	Rotating Adaptor, Medium Pressure
<b>Three-Valve</b>			
H965640393071	Off	Right	Rotating Adaptor, High Pressure with Star Handles
H965640393081	On	Right	Rotating Adaptor, High Pressure with Star Handles
H965700383071	Off	Right	Rotating Adaptor, Medium Pressure
H965700383081	On	Right	Rotating Adaptor, Medium Pressure
H965700383171	Off	Left	Rotating Adaptor, Medium Pressure
<b>Four-Valve</b>			
H965700384071	Off	Right	Rotating Adaptor, Medium Pressure
H965700384081	On	Right	Rotating Adaptor, Medium Pressure
H965700384171	Off	Left	Rotating Adaptor, Medium Pressure

# NAMIC™ FLUID MANAGEMENT

## ■ TRADITIONAL ANGIOGRAPHIC MANIFOLDS

UPN	Handles	Ports	Style
<b>Four-Valve with Rotating Adaptor, High Pressure</b>			
H965700374021	Off	Right	Block Body, Classic (Clear)
H965700374041	On	Right	Block Body, Classic (Clear)
H965700374141	Off	Left	Block Body, Classic (Clear)
<b>Four-Valve with Rotating Adaptor, Medium Pressure</b>			
H965640384021	Off	Right	Fingergrip, Classic (Clear) Wide Body, Star Handle
H965640384041	On	Right	Fingergrip, Classic (Clear) Wide Body, Star Handle
H965700384021	Off	Right	Fingergrip, Classic (Clear)
H965700384041	On	Right	Fingergrip, Classic (Clear)
H965700384141	Off	Left	Fingergrip, Classic (Clear)
H965700394021	Off	Right	Block Body, Classic (Clear)
H965700394041	On	Right	Block Body, Classic (Clear)
H965700394141	Off	Left	Block Body, Classic (Clear)
<b>Three-Valve with Rotating Adaptor, High Pressure</b>			
H965700373011	Off	Right	Block Body, Classic (Clear)
H965700373031	On	Right	Block Body, Classic (Clear)
H965700373131	Off	Left	Block Body, Classic (Clear)
<b>Three-Valve with Rotating Adaptor, Medium Pressure</b>			
H965640383011	Off	Right	Fingergrip, Classic (Clear) Wide Body, Star Handle
H965640383031	On	Right	Fingergrip, Classic (Clear) Wide Body, Star Handle
H965700363011	Off	Right	Fingergrip, Classic (Clear) with Extended Rotating Adaptor
<b>Three-Valve with Rotating Adaptor, Medium Pressure</b>			
H965700363031	On	Right	Fingergrip, Classic (Clear) with Extended Rotating Adaptor
H965700383011	Off	Right	Fingergrip, Classic (Clear)
H965700383031	On	Right	Fingergrip, Classic (Clear)
H965700383131	Off	Left	Fingergrip, Classic (Clear)
H965700393011	Off	Right	Block Body, Classic (Clear)
H965700393031	On	Right	Block Body, Classic (Clear)
H965700393131	Off	Left	Block Body, Classic (Clear)
<b>Two-Valve with Rotating Adaptor, High Pressure</b>			
H965700372001	Off	Right	Block Body, Classic (Clear)
H965700372021	On	Right	Block Body, Classic (Clear)
H965700372121	Off	Left	Block Body, Classic (Clear)

## NAMIC™ FLUID MANAGEMENT

### ■ TRADITIONAL ANGIOGRAPHIC MANIFOLDS

UPN	Handles	Ports	Style
<b>Two-Valve with Rotating Adaptor, Medium Pressure</b>			
H965640382001	Off	Right	Fingergrip, Classic (Clear) Wide Body, Star Handle
H965640382021	On	Right	Fingergrip, Classic (Clear) Wide Body, Star Handle
H965700362001	Off	Right	Fingergrip, Classic (Clear) with Extended Rotating Adaptor
H965700362021	On	Right	Fingergrip, Classic (Clear) with Extended Rotating Adaptor
H965700382001	Off	Right	Fingergrip, Classic (Clear)
H965700382021	On	Right	Fingergrip, Classic (Clear)
H965700382121	Off	Left	Fingergrip, Classic (Clear)
H965700392001	Off	Right	Block Body, Classic (Clear)
<b>Two-Valve with Rotating Adaptor, Medium Pressure</b>			
H965700392021	On	Right	Block Body, Classic (Clear)
H965700392121	Off	Left	Block Body, Classic (Clear)

### ■ TRADITIONAL MANIFOLDS AND ACCESSORIES FOR PRESSURE MONITORING

UPN	Handles	Description
H965700393521	Off	Two-Valve with Four Female Ports
H965700393531	Off	Three-Valve with Five Female Ports
H965700393541	Off	Four-Valve with Six Female Ports
H965700393551	Off	Five-Valve with Seven Female Ports

### ■ PRESSURE MONITORING LINES

UPN	Length
<b>High Frequency, Female Luer Lock to Male Luer Lock</b>	
H965907010621	15.2 cm (6")
H965907011221	30.5 cm (12")
H965907012421	61.0 cm (24")
H965907013621	91.4 cm (36")
H965907014821	121.9 cm (48")
H965907016021	152.5 cm (60")
H965907017221	182.9 cm (72")
H965907018421	213.5 cm (84")
H965907019621	243.8 cm (96")
<b>High Frequency, Male Luer Lock to Male Luer Lock</b>	
H965907021221	30.5 cm (12")
H965907022421	61.0 cm (24")
H965907023621	91.4 cm (36")
H965907024821	121.9 cm (48")
H965907026021	152.5 cm (60")
H965907027221	182.9 cm (72")
H965907028421	213.5 cm (84")
H965907029621	243.8 cm (96")

## NAMIC™ FLUID MANAGEMENT

### ■ PRESSURE MONITORING LINES

UPN	Length
<b>Pediatric, Female Luer to Male Luer Lock</b>	
H965907110621 .....	15.2 cm (6")
H965907111221 .....	30.5 cm (12")
H965907112421 .....	61.0 cm (24")
H965907113621 .....	91.4 cm (36")
H965907114821 .....	121.9 cm (48")
H965907117221 .....	182.9 cm (72")
<b>Pediatric, Male Luer Lock to Male Luer Lock</b>	
H965907121221 .....	30.5 cm (12")
H965907122421 .....	61.0 cm (24")
H965907123621 .....	91.4 cm (36")
H965907124821 .....	121.9 cm (48")
H965907127221 .....	182.9 cm (72")

### ■ PRESSURE MONITORING ACCESSORIES FOR COMPENSATOR™ MANIFOLDS

UPN	Description
H965640003520 .....	Reusable Metal Compensator Mounting Bracket
H965640019820 .....	Reusable Adjustable Heart Level Shelf

### ■ PRESSURE MONITORING ACCESSORIES FOR THE PERCEPTOR™ DISPOSABLE TRANSDUCERS

UPN	Description	Mounting Position
H965700300510 .....	Reusable Plastic Pole Clamp .....	Vertical
H965700300530 .....	Reusable Metal Pole Clamp .....	Vertical
H965700301520 .....	Mounting Plate (Holds up to Two PERCEPTOR DT Devices)	
H965700300540 .....	Reusable Metal Pole Clamp .....	Horizontal
H965640001530 .....	Mounting Plate (Holds up to Four PERCEPTOR DT Devices)	

### ■ PRESSURE MONITORING REUSABLE MOUNTING CLAMPS FOR MONITORING MANIFOLDS

UPN	Description
H965640002700 .....	Aluminum Stationary Clamp

### ■ PRESSURE MONITORING STANDARD POLE MOUNT KITS

UPN	Three-Way Stopcock Mount	One-Way Stopcock Mount	Pigtail Cable Length
H965704000521 .....	Top .....	Bottom .....	61.0 cm (24")
H965704000551 .....	Bottom .....	Top .....	61.0 cm (24")
H965704000571 .....	— .....	Bottom .....	121.9 cm (48")

# NAMIC™ FLUID MANAGEMENT

## ■ REUSABLE PRESSURE MONITORING CABLES (DEVICE-TO-MONITOR)

UPN	Monitoring Equipment Compatibility	Series Names and Model Number
<b>610 cm (20 Foot) Length</b>		
<b>H965640420110</b>	Hewlett Packard™	(78532A,) Merlin (Models M1165_, M1166_, M1775A, M1175_, M1176_, M1006_ 54, 56, 66, 68, M1275A, M1264A, D1187A, 9000, M1041A) Omni Care Models M1205A, M1006 A & B, Cath Station 9000 Note: HP Model # 15055A may have either connection.
<b>H965640420110</b>	Hewlett Packard	Rifle Shot (Models 7834_, 7833_), Mini Shot Models 7835_, 78534B), Neo Shot (Models 788_, Haemosphere, Solar™ 8000 and 9500
<b>H965640420110</b>	Philips	IntelliVue™
<b>H965640420240</b>	Physio-Control™	Physio-Control VSM-1 Monitor
<b>H965640420560</b>	Witt Biomedical	Series IV Digital Front End Monitor
<b>549 cm (18 Foot) Length</b>		
<b>H965640420310</b>	Siemens™ (18 Foot Length)	Siemens 15 Pin (with locks)
<b>366 cm (12 Foot) Length</b>		
<b>H965700412080</b>	Air Shields™	AS-8
<b>H965700412160</b>	Air Shields	800, AS 100
<b>H965700412080</b>	American Optical/Picker	All Other American Optical/Picker Models
<b>H965700412120</b>	American Optical/Picker	1006, 1008, 1016, 1131, 1131A, 1131B, and 1600
<b>H965700412200</b>	Aries	700 Balloon Pump
<b>H965640420440</b>	Astro Med	K3 Monitor
<b>H965640009880</b>	Bard™	Stamp Amplifier
<b>H965700412110</b>	Bard	CPS Transak System, 8000
<b>H965640420260</b>	BD/Electrodyne	ST419
<b>H965700412070</b>	Biomedical Instrumentation	All Models
<b>H965700412010</b>	Bloom™	Electrophysiology System (Model: BERS – A/D)
<b>H965640420500</b>	Camtronics	PDM (Patient Data Module) 3.X
<b>H965640420170</b>	Cardian III	CR6BT
<b>H965640420140</b>	Cardiolab™	ART-4 Monitor
<b>H965640420290</b>	Cardiolab	ART-1, ART-2
<b>H965640420150</b>	Cobe™	CPC COBE Pump
<b>H965700412080</b>	Colin	BP-408, CMB3000
<b>H965700412110</b>	Criticare™	508.1100
<b>H965640420250</b>	Dantek	Urodyne 5000 Monitor
<b>H965640420260</b>	Datamedix	Guardian
<b>H965700412080</b>	Datascope™	All Datascope Monitors Except Point of View. Models Include: 97, 870, 2000, 2002, 3000 and Systems 90, 90T, 83 and 84, Passport EL, CS100™ and 98XT

## NAMIC™ FLUID MANAGEMENT

### ■ REUSABLE PRESSURE MONITORING CABLES (DEVICE-TO-MONITOR)

UPN	Monitoring Equipment Compatibility	Series Names and Model Number
<b>366 cm (12 Foot) Length</b>		
H965640009990	Datex	Cardiicap™ 1, Cardiicap 2 and Puritan Bennet™ PB 245P Models Include: CH1RS, CH2, CH2S, CG2, CG2S, CG2CS
H965700412110	Drager™	North American, All Model
H965640420430	EP	Work Mate™
H965640420160	Fukada Denshi	DS 3300
H965640420190	GE	CGR 1000
H965700412160	Gould™	Statham Monitors. Models Include: IM-1000, JM-1014, IM-1024
H965640420120	Gould	Cath 2000 Monitor, TA 240 Easy Graf, 13-6615-50 Amplifier
H965640420220	Hellige	SMK 155-9, Also for Use with Servimed Modules 236-015, 236-016, 236-037
H965640420090	Hellige	PPG 23607601; SMU Series
H965700412080	Hewlett Packard™	HP 78205B
H965640420330	Hewlett Packard	HP 8805B
H965700412020	Hewlett Packard	Models with Twin-Ax Connector, 8890B, 8823, 700309A
H965700412030	Hewlett Packard	Rifle Shot (Models 7834_, 7833_), Mini Shot (Models 7835_, 78534B), Neo Shot (Models 788_), Haemosphere, Solar™ 8000 and 9500, Veridia, Omni Care Models M1205A and M1006A&B
H965640420340	HME	HME Monitor
H965640420210	J&J - Critikon™	Dynamic Plus, 8720, 8700, 9720
H965640420200	JF Medical	Cares Monitor
H965640009990	Kone	All Models
H965700412220	Kontron™	Kontron 2000 Balloon Pump Monitors and Models 7131 and 7132
H965700412130	Kontron	Kontron Monitors with Cannon Connector
H965700412170	Kontron	Kontron Monitors with Burndy Connector
H965640009850	Kontron	Kontron KAAT, KAAT 2+ Balloon Pump, AKAAT 1 Plus
H965640420350	Lohmeier	Lohmeier Monitor
H965700412080	Mansfield	Mansfield 3000 Series
H965700412100	Marquette™	Marquette GE PDS 3000
H965700412140	Marquette	Monitor Marquette 7000 Series and Marquette 7200 TRAM, Marquette 2000 Series
H965700412230	Marquette	Marquette TRAM™ Series (_00) Models Include: TRAM 100, 200, 300, 400, 500, 600, MQ-2, Unity and MacLab Eagle, 12C, Tramscope 12, Solar™ (8000 Series), MacLab™ 7000 and IT
H965640420500	MedCon	Windsurfer Station
H965700412030	Medical Data Electronics (M.D.E.)	Models with HP Option
H965700412110	Medical Data Electronics (M.D.E.)	All Models Except Those with HP Option

# NAMIC™ FLUID MANAGEMENT

## ■ REUSABLE PRESSURE MONITORING CABLES (DEVICE-TO-MONITOR)

UPN	Monitoring Equipment Compatibility	Series Names and Model Number
<b>366 cm (12 Foot) Length</b>		
H965700412190	Mennen	Mennen 400 Series, 700 Series and Horizon Series IVY Biomedical Models Include: 426, Transport 741 and 742 Horizon 1100, 2000, 2110, 3000 and 9000
H965700412080	Narco Med	Distributes Datascope Monitors
H965640420280	NEC	Model 1257
H965700412150	Nihon Kohden™	Nihon Kohden Lifescope Series & Model AP800PA Model Include: Lifescope 6 (Mdl OEC-1605A) Lifescope 8 (Mdl OEC-8108A) Lifescope 9 (Mdl BSM-8301A & BSM 8302A) Lifescope 11 (Model OMP-7201C & OMP-7203C) Lifescope 12 (Mdl BSM-8500 & BSM-8500A)
H965640420490	Nippon Colin	BP608
H965640420180	Ohio	All Models
H965700412190	Ohmeda™	Modulus CDVC
H965700412030	Philips	IntelliVue™
H965700412200	Physio-Control™	Physio-Control VSM-1, VSM-4
H965640420040	Physio-Control	Physio-Control VSM-5
H965640420060	PPG Biomedical / E for M / Honeywell	E for M with Pins on Cable
H965640420090	PPG Biomedical / E for M / Honeywell	PPG Biomedical: Vicom Monitor, Hellige 23607601 Monitor
H965640420050	PPG Biomedical / E for M / Honeywell	E for M 7-Pin Amphenol Connector
H965640009840	PPG Biomedical / E for M / Honeywell	PPG Biomedical RM 300
H965700412010	PPG Biomedical / E for M / Honeywell	PPG Biomedical / E for M / Honeywell: VR, AR, EVR, IM, OM, CCO Series and Bloom, Electrophysiology System Model # BERS - A/D. Models include VR12, VR16, AR6, EVR-130 and EVR-180 (Sockets)
H965700412050	PPG Biomedical / E for M / Honeywell	Honeywell: MEDDARS Monitors, M380 (Pins)
H965700412120	PPG Biomedical / E for M / Honeywell	Honeywell: V Series (Pins)
H965640009890	Propaq™	Propaq 104, Critikon Dyna Map Plus
H965640420210	Propaq	Propaq 106 EL
H965640420290	Prucka	CLAB II
H965700412070	Quinton™	Quinton Q-Cath Monitor
H965700412080	Roche	All Models
H965640009990	S & W	Diascope 8000 Trendscope
H965640459800	Sarns™	Sarns 9000 Monitor
H965640420460	Schwarzer	.210055 PD 14 Monitor
H965640420610	Schiller/Physiolog	Argus PB-1000
H965700412040	Siemens™	Siemens Sirecust, Penta, Sirem, Sensis and Infinity Delta Monitors Models Include: Sirecust, 401, 402, 403, 404 404-1 and Penta 630, 720, 730, 732, 960, 961, 1280 and 1281, 1261, 1201
H965640420100	Siemens	Siemens Sirecust 300
H965640009970	Siemens	Siemens Micor, Sicor, Ricor and Mingograph Monitors Cathcor™ Monitors (Cable with Locking Mechanism)
H965700412060	Siemens	Siemens Micor, Sicor, Ricor and Mingograph Monitor
H965640420360	Soxil	Soxil Sentinel 2E Monitor

# NAMIC™ FLUID MANAGEMENT

## ■ REUSABLE PRESSURE MONITORING CABLES (DEVICE-TO-MONITOR)

UPN	Monitoring Equipment Compatibility	Series Names and Model Number
<b>366 cm (12 Foot) Length</b>		
H965640420230	Spacelabs™ / Tektonix / Vitatech Invivo Research, Inc.	TC-SA
H965700412110	Spacelabs / Tektonix / Vitatech Invivo Research, Inc	Spacelabs, 400, 500, 600, 903_, 9060_ Series and Vitatech Monitors Model 90431, Omni Trac-TV5, PC-2, Spacelabs 904270-20
H965700412090	Spacelabs / Tektonix / Vitatech Invivo Research, Inc.	Spacelabs Alpha 14 and Alpha 9
H965700412180	Spacelabs / Tektonix / Vitatech Invivo Research, Inc.	Tektronix 400 Series Monitors
H965640420480	Trex Net	IMAC
H965640420030	Witt Biomedical™	With Cannon Connector
H965640420540	Witt Biomedical	Series IV Digital Front End Monitor
H965700412010	Witt Biomedical	Series IV - Analog
<b>305 cm (10 Foot) Length</b>		
H965700412240	PPG Biomedical / E for M / Honeywell (10 Foot Length)	Midas PPG
<b>183 cm (6 Foot) Length</b>		
H965640420400	Criticare™	Scholar™
H965640420180	Datamedix	Guardian ST419
H965700406180	Datascope™	All Datascope Monitors Except Point of View. Models Include: 97, 870, 2000, 2002, 3000 and Systems 90, 90T, 83 and 84, Passport EL, CS100™ and 98XT
H965700406290	Drager™	North American, All Models
H965700406260	Gould™	Statham Monitors. Models Include: IM-1000, JM-1014, IM-1024
H965700406130	Hewlett Packard™	Rifle Shot (Models 7834_, 7833_) Mini Shot (Models 7835_, 78534B) Neo Shot (Models 788_, 78532A), Haemosphere, Solar™ 8000 and 9500, Veridia, Omni Care Models M1205A and M1006A&B
H965700406120	Hewlett Packard	Models with Twin-Ax Connector, 8890B, 8823, 70_309A
H965700406270	Kontron™	Kontron Monitors with Burndy Connector
H965700406320	Kontron	Kontron 2000 Balloon Pump Monitors and Models 7131 and 7132
H965700406230	Kontron	Kontron Monitors with Cannon Connector
H965640009900	Life-Tech	Waveform Processor
H965700406180	Mansfield	Mansfield 3000 Series
H965700406200	Marquette™	Marquette GE PDS 3000
H965640406330	Marquette	Marquette TRAM™ Series (_00) Models Include: TRAM 100, 200, 300, 400, 500, 600, MQ-2, Unity and Mac Lab Eagle, 12C, Tramscope 12, Solar™, MacLab™ 7000 and IT

# NAMIC™ FLUID MANAGEMENT

## ■ REUSABLE PRESSURE MONITORING CABLES (DEVICE-TO-MONITOR)

UPN	Monitoring Equipment Compatibility	Series Names and Model Number
<b>183 cm (6 Foot) Length</b>		
H965700406240	Marquette™	Monitor Marquette 7000 Series and Marquette 7200 TRAM, Marquette 2000 Series. Models Include: 7005 and 7010
H965640420510	MedCon	Windsurfer Station
H965700406130	Medical Data Electronics (M.D.E.)	Models with HP Option
H965700406290	Medical Data Electronics (M.D.E.)	All Models Except Those with HP Option
H965700406210	Mennen	Mennen 400 Series, 700 Series and Horizon Series IVYBiomedical Models Include: 426, Transport 741 and 742; Horizon 1100, 2000, 2110, 3000 and 9000
H965700406180	Narco Med	Distributes Datascope Monitors
H965700406250	Nihon Kohden™	Nihon Kohden Lifescope Series & Model AP800PA Models Include: Lifescope 6 (Mdl OEC-1605A) Lifescope 8 (Mdl OEC-8108A) Lifescope 9 (Mdl BSM-8301A & BSM 8302A) Lifescope 11 (Mdl OMP-7201C & OMP-7203C) Lifescope 12 (Mdl BSM-8500 & BSM-8500A)
H965700406290	Ohmeda™	Modulus CDVC
H965700406130	Philips	IntelliVue™
H965700406300	Physio-Control™	Physio-Control VSM-1, VSM-4
H965700406150	PPG BioMedical / E for M / Honeywell	Honeywell: MEDDARS Monitors, M380 (Pins)
H965700406220	PPG BioMedical / E for M / Honeywell	Honeywell: V Series (Pins)
H749700406110	PPG BioMedical / E for M / Honeywell	PPG Biomedical / E for M / Honeywell: VR, AR, EVR, IM, OM, CCO Series and Bloom Electrophysiology System Model # BERS - A/D. Models Include: VR12, VR16, AR6, EVR-130 and EVR-180 (Sockets)
H965700406170	Quinton™	Quinton Q-Cath Monitor
H965700406180	Roche	All Models
H965700406140	Siemens™	Siemens Sirecust, Penta, Sirem, Sensis and Infinity Delta Monitors. Models Include: Sirecust, 401, 402, 403, 404, 404-1 and Penta 630, 720, 730, 732, 960, 961, 1280 and 1281, 1261, 1201
H965700406160	Siemens	Siemens Micor, Sicor, Ricor and Mingograph Monitors Cathcor™ Monitors
H965700406280	Spacelabs™ / Tektonix / Vitatech Invivo Research, Inc.	Tektronix 400 Series Monitors
H965700406190	Spacelabs / Tektonix / Vitatech Invivo Research, Inc.	Spacelabs Alpha 14 and Alpha 9 Vitatech Invivo Research Labs
H965700406210	Spacelabs / Tektonix / Vitatech Invivo Research, Inc.	Spacelabs 400, 500, 600, 9030_, 9060_ Series and Vitatech Monitors Model 90431, Omni Trac-TV5, PC-2, Spacelabs 90470-20
H749700406110	Witt Biomedical™	Series IV - Analog
H965640420530	Witt Biomedical	Series IV Digital Front End Monitor

# NAMIC™ FLUID MANAGEMENT

## ■ REUSABLE PRESSURE MONITORING CABLES (DEVICE-TO-MONITOR)

UPN	Monitoring Equipment Compatibility	Series Names and Model Number
<b>183 cm (6 Foot) Length</b>		
H965700406180	Air Shields™	AS-8
H965700406260	Air Shields	800, AS 100
H965700406220	American Optical/ Picker	1006, 1008, 1016, 1131, 1131A, 1131B, and 1600
H965700406180	American Optical/ Picker	All other American Optical/Picker Models
H965700406300	Aries	700 Balloon Pump
H965700406210	Bard™	CPS Transak System, 8000
H965640420180	BD/Electrodyne	ST419
H965700406170	Biomedical Instrumentation	All Models
H749700406110	Bloom	Electrophysiology System (Model: BERS - A/D)
H965640420510	Camtronics	PDM (Patient Data Module) 3.X
H965700406180	Colin	BP-408, CMB3000
H965640009980	Corometrics™	Models 506, 515 and 515A
H965700406210	Criticare™	508, 1100
<b>61 cm (2 Foot) Length</b>		
H965640420470	Marquette™ (2 Foot Length)	Marquette TRAM™ Series (_00) Models Include: TRAM 100, 200, 300, 400, 500, 600, MQ-2, Unity and Mac Lab Eagle, 12C, Tramscope 12, Solar (8000 series), Mac Lab 7000 and IT

# NAMIC™ FLUID MANAGEMENT

## ■ ARTERIAL EXTENSION SET WITH STOPCOCK

UPN	Extension Length	Description	Port Protectors
<b>Arterial Extension Sets with Stopcock</b>			
H965907030501	11 cm (4.5")	Pediatric Pressure Line Extension to Three-Way Stopcock with Male Luer Lock	Yes
H965907030621	15 cm (6")	Adult Pressure Line Extension to Three-Way Stopcock with Male Luer Lock	Yes
H965907030921	23 cm (9")	Adult Pressure Line Extension to Three-Way Stopcock with Male Luer Lock	Yes
H965907031221	30 cm (12")	Adult Pressure Line Extension to Three-Way Stopcock with Male Luer Lock	Yes

## ■ EXTENSION SETS WITH NAMIC STOPCOCK

UPN	Extension Length	Port Protectors
<b>Four-Way</b>		
H965700154121	30 cm (12") with Male Luer Slip	Yes
H965700154201	51 cm (20") with Male Luer Slip	Yes
H965700154331	84 cm (33") with Male Luer Slip	Yes
<b>Three-Way</b>		
H965700153121	30 cm (12") with Male Luer Slip	Yes
H965700153201	51 cm (20") with Male Luer Slip	Yes
H965700153331	84 cm (33") with Male Luer Slip	Yes

## ■ STOPCOCKS

UPN	Pressure Rating	Fittings	Port Protectors
<b>One-Way</b>			
H965700150151	14 bar (200 psi)	Rotating Male Collar	Yes
H965700150161	14 bar (200 psi)	Male Luer Slip	No
H965700550171	72 bar (1050 psi)	Fixed Male Luer Lock	No
<b>Three-Way</b>			
H965700150001	14 bar (200 psi)	Male Luer Slip	No
H965700150011	14 bar (200 psi)	Male Luer Slip	Yes
H965700150021	14 bar (200 psi)	Rotating Male Collar	Yes
H965700150031	14 bar (200 psi)	Fixed Male Luer Lock	Yes
H965700350081	28 bar (400 psi)	Rotating Adaptor, Port on Left	No
H965700350031	28 bar (400 psi)	Fixed Male Luer Lock	Yes
H965700350091	28 bar (400 psi)	Rotating Adaptor, Port on Right	No
H965700350021	28 bar (400 psi)	Rotating Male Collar	Yes
H965700550091	75 bar (1050 psi)	Rotating Adaptor, Port on Right	No
H965700550031	75 bar (1050 psi)	Fixed Male Luer Lock	No
H965700550081	75 bar (1050 psi)	Rotating Adaptor, Port on Left	No
<b>Four-Way</b>			
H965700150101	14 bar (200 psi)	Male Luer Slip	No
H965700150111	14 bar (200 psi)	Male Luer Slip	Yes
H965700150121	14 bar (200 psi)	Rotating Male Collar	Yes
H965700150131	14 bar (200 psi)	Fixed Male Luer Lock	Yes
H965700350131	28 bar (400 psi)	Fixed Male Luer Lock	Yes
H965700350121	28 bar (400 psi)	Rotating Male Collar	Yes

## NAMIC™ FLUID MANAGEMENT

### ■ ANGIOGRAPHIC CONTROL SYRINGES

UPN	Fitting	0.5cc Reservoir
<b>8 cc Syringes, Thumb Ring with Finger Rings</b>		
H749700270901	Fixed Male Luer Lock	Yes
<b>10 cc Syringes, Palm Pad with Finger Grips</b>		
H965700951071	Rotating Adaptor	Yes
<b>10 cc Syringes, Palm Pad with Finger Rings</b>		
H965700950031	Fixed Male Luer Lock	Yes
H965700950071	Rotating Adaptor	Yes
<b>10 cc Syringes, Thumb Ring with Finger Grips</b>		
H965700851071	Rotating Adaptor	Yes
<b>10 cc Syringes, Thumb Ring with Finger Rings</b>		
H965700850031	Fixed Male Luer Lock	Yes
H965700850041	Extended Male Luer Lock	Yes
H965700850051	Extended Rotating Adaptor	Yes
H965700850071	Rotating Adaptor	Yes
<b>12 cc Syringes, Palm Pad with Finger Grips</b>		
H965700971071	Rotating Adaptor	Yes
H965700981071	Rotating Adaptor	No
<b>12 cc Syringes, Palm Pad with Finger Rings</b>		
H965700970031	Fixed Male Luer Lock	Yes
H965700970071	Rotating Adaptor	Yes
H965700980031	Fixed Male Luer Lock	No
H965700980071	Rotating Adaptor	No
<b>12 cc Syringes, Thumb Ring with Finger Grips</b>		
H965700871071	Rotating Adaptor	Yes
<b>12 cc Syringes, Thumb Ring with Finger Rings</b>		
H965700870031	Fixed Male Luer Lock	Yes
H965700870071	Rotating Adaptor	Yes
H965700880031	Fixed Male Luer Lock	No
H965700880071	Rotating Adaptor	No
<b>20 cc Syringes, Thumb Ring with Finger Rings</b>		
H965700750231	Fixed Male Luer Lock	Yes
H965700750271	Rotating Adaptor	Yes

### ■ RADIOLOGY CONTROL SYRINGES

UPN	Fitting	0.5cc Reservoir
H965705051031	Fixed Male Luer Lock	Yes
H965705062031	Fixed Male Luer Lock	No

## NAMIC™ FLUID MANAGEMENT

### ■ TORQUE DEVICES

UPN	Model	Guidewire Compatibility
H965914003001	NAMIC Torque Device	0.25 mm - 0.46 mm (0.010" - 0.018")
H74904487202	TD2™ Torque Device	0.25 mm - 0.46 mm (0.010" - 0.018")
H74902470012	The Grip™ Torque Device	0.36 mm - 0.46 mm (0.014" - 0.018")

### ■ Y-ADAPTORS

UPN	Model	Internal Diameter
H965914000211	Y-Adaptor	2.54 mm (0.100")
H965640001221	Y-Adaptor with Intermediate Threads	2.54 mm (0.100")
H965914000231	Y-Adaptor with Side Arm Extension	2.54 mm (0.100")
H965640001231	Large Bore Y-Adaptor	2.87 mm (0.113")
H965640001271	Large Bore Y-Adaptor with Low Profile Rotating Adaptor	2.87 mm (0.113")
H965640001241	Large Bore Y-Adaptor with Side Arm Extension	2.87 mm (0.113")
H965914000251	Option 125 Y-Adaptor	3.18 mm (0.125")
H965914000281	Option 125 Y-Adaptor with Low Profile Rotating Adaptor	3.18 mm (0.125")

### ■ Y-ADAPTOR KITS

UPN	Model	Guidewire Compatibility
H965914002211	Y-Adaptor Kit	2.54 mm (0.100")
H965640002221	Y-Adaptor with Intermediate Threads Kit	2.54 mm (0.100")
H965640002231	Large Bore Y-Adaptor Kit	2.87 mm (0.113")
H965640002271	Large Bore Y-Adaptor with Low Profile Rotating Adaptor Kit	2.87 mm (0.113")
H965640002241	Large Bore Y-Adaptor with Side Arm Extension Kit	2.87 mm (0.113")
H965914002251	Option 125 Y-Adaptor Kit	3.18 mm (0.125")
H965914002281	Option 125 Y-Adaptor with Low Profile Rotating Adaptor Kit	3.18 mm (0.125")

Each Kit Contains: One Y-Adaptor, Torque Device and Guidewire Insertion Tool

### ■ TRI-ADAPTORS

UPN	Model	Internal Diameter
H965914000311	Tri-Adaptor	2.54 mm (0.100")
H965914000351	Option 125 Tri-Adaptor	3.18 mm (0.125")

### ■ TRI-ADAPTOR KITS

UPN	Model	Guidewire Compatibility
H965914002311	Tri-Adaptor Kit	2.54 mm (0.100")
H965914002351	Option 125 Tri-Adaptor Kit	3.18 mm (0.125")

Each Kit Contains: One Tri-Adaptor, Torque Device, and Guidewire Insertion Tool

## NAMIC™ FLUID MANAGEMENT

### ■ ADAPTORS/CONNECTORS

UPN	Description
<b>Female Luer Lock to Female Luer Lock Tubing Connector</b>	
H965907051011	Female Luer Lock to Female Luer Lock Tubing Connector
<b>Male Luer Lock to Male Luer Lock Tubing Connector</b>	
H965907052021	Male Luer Lock to Male Luer Lock Tubing Connector
<b>Male Luer Lock to Rotating Adaptor Connector</b>	
H749700271801	Male Luer Lock to Rotating Adaptor Connector

### ■ STANDARD CARDIOVASCULAR KITS

UPN	Manifold Style
<b>Standard Angiographic Kit with NAMIC Manifold</b>	
H965913013011	Three-Valve Classic (Clear) Manifold with Ports on Right and OFF Handles
H965913013031	Three-Valve Classic (Clear) Manifold with Ports on Right and ON Handles
<b>Standard Angiographic Kit with PERCEPTOR™ NAMIC Manifold</b>	
H965913013071	Three-Valve PERCEPTOR Manifold with Ports on Right and OFF Handles
H965913013081	Three-Valve PERCEPTOR Manifold with Ports on Right and ON Handles

### ■ STANDARD RADIOLOGY AND RIGHT HEART CATHETERIZATION

UPN	Pigtail Transducer Mount	Cable Length
H965700300211	Stopcock End Port	121.9 cm (48")
H965700300201	Stopcock Side Port	121.9 cm (48")

# PRODUCT CODE INDEX

H74902470012.....The Grip™ Torque Device .....	23	H965640019820.....Pressure Monitoring Accessories for COMPENSATOR™ Manifolds .....	14
H74904487202.....TD2™ Torque Device.....	23	H965640371071.....PERCEPTOR™ Pressure Monitoring Manifolds, One-Valve .....	11
H74904490202.....Angiographic Core Wires, Guidewire Insertion Tools .....	9	H965640382001.....Traditional Angiographic Manifolds, Two-Valve with Rotating Adaptor, Medium Pressure.....	13
H74904494102.....Essentials™ Kit .....	9	H965640382021.....Traditional Angiographic Manifolds, Two-Valve with Rotating Adaptor, Medium Pressure.....	13
H749700270901.....Angiographic Control Syringes, 8 cc Syringes, Thumb Ring with Finger Rings .....	22	H965640383011.....Traditional Angiographic Manifolds, Three-Valve with Rotating Adaptor, Medium Pressure.....	12
H749700271801.....Adaptors, Male Luer Lock to Rotating Adaptor Connector.....	24	H965640383031.....Traditional Angiographic Manifolds, Three-Valve with Rotating Adaptor, Medium Pressure.....	12
H749700406110.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 6 Foot Length .....	19	H965640384021.....Traditional Angiographic Manifolds, Four-Valve with Rotating Adaptor, Medium Pressure.....	12
H749700406110.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 6 Foot Length .....	20	H965640384041.....Traditional Angiographic Manifolds, Four-Valve with Rotating Adaptor, Medium Pressure.....	12
H749904004351.....Contrast Management Systems, Squeeze™ Contrast Controller™.....	8	H965640393071.....PERCEPTOR Pressure Monitoring Manifolds, Three-Valve.....	11
H749913102001.....Closed Fluid Systems, Closed Fluid Waste Management Systems.....	6	H965640393081.....PERCEPTOR Pressure Monitoring Manifolds, Three-Valve.....	11
H749913102101.....Closed Fluid Systems, Closed Fluid Waste Management Systems.....	6	H965640406330.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 6 Foot Length .....	18
H749913102201.....Closed Fluid Systems, Closed Fluid Waste Management Systems.....	6	H965640420030.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	18
H749913102301.....Closed Fluid Systems, Closed Fluid Waste Management Systems.....	6	H965640420040.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17
H749913103001.....Closed Fluid Systems, Closed Fluid Waste Management Systems.....	6	H965640420050.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17
H749913103101.....Closed Fluid Systems, Closed Fluid Waste Management Systems.....	6	H965640420060.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17
H749913103201.....Closed Fluid Systems, Closed Fluid Waste Management Systems.....	6	H965640420090.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	16
H749913103301.....Closed Fluid Systems, Closed Fluid Waste Management Systems.....	6	H965640420090.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17
H965640000101.....Contrast Management Systems, Contrast Management Tubing Assemblies.....	8	H965640420100.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17
H965640001221.....Y-Adaptor with Intermediate Threads .....	23	H965640420110.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 20 Foot Length .....	15
H965640001231.....Large Bore Y-Adaptor .....	23	H965640420120.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	16
H965640001241.....Large Bore Y-Adaptor with Side Arm Extension .....	23	H965640420140.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	15
H965640001271.....Large Bore Y-Adaptor with Low Profile Rotating Adaptor .....	23	H965640420150.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	15
H965640001530.....Pressure Monitoring Accessories for the PERCEPTOR™ Disposable Transducers .....	14	H965640420160.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	16
H965640002221.....Y-Adaptor with Intermediate Threads Kit .....	23	H965640420170.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	15
H965640002231.....Large Bore Y-Adaptor Kit .....	23	H965640420180.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17
H965640002241.....Large Bore Y-Adaptor with Side Arm Extension Kit .....	23	H965640420180.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 6 Foot Length .....	18
H965640002271.....Large Bore Y-Adaptor with Low Profile Rotating Adaptor Kit .....	23	H965640420180.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 6 Foot Length .....	20
H965640002700.....Pressure Monitoring Reusable Mounting Clamps for Monitoring Manifolds.....	14	H965640420190.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	16
H965640003520.....Pressure Monitoring Accessories for COMPENSATOR™ Manifolds .....	14	H965640420200.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	16
H965640009251.....Closed Fluid Systems, ANGIO-SAC™ Collection System.....	6	H965640420210.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	16
H965640009341.....Closed Fluid Systems, Closed Fluid Systems for Angiography.....	6	H965640420210.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17
H965640009351.....Closed Fluid Systems, Closed Fluid Systems for Angiography.....	6	H965640420220.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	16
H965640009361.....Closed Fluid Systems, Closed Fluid Systems for Angiography.....	6	H965640420230.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	18
H965640009441.....Closed Fluid Systems, Closed Fluid Systems for Angiography.....	6	H965640420240.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 20 Foot Length .....	15
H965640009451.....Closed Fluid Systems, Closed Fluid Systems for Angiography.....	6	H965640420250.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	15
H965640009551.....Contrast Management Systems, Protection Station™ Plus System with In-Line Contrast Management System .....	6, 8	H965640420260.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	15
H965640009840.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17	H965640420280.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17
H965640009850.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	16	H965640420290.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	15
H965640009880.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	15	H965640420290.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17
H965640009890.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17	H965640420310.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 18 Foot Length .....	15
H965640009900.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 6 Foot Length .....	18	H965640420330.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	16
H965640009970.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17		
H965640009980.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 6 Foot Length .....	20		
H965640009990.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	16		
H965640009990.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17		

## PRODUCT CODE INDEX

H965640420340.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	16	H965700350091.....Stopcock, Three-Way .....	21
H965640420350.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	16	H965700350121.....Stopcock, Four-Way.....	21
H965640420360.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17	H965700350131.....Stopcock, Four-Way.....	21
H965640420400.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 6 Foot Length .....	18	H965700360011.....Disposable Transducers PERCEPTOR™ DT .....	9
H965640420430.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	16	H965700361481.....Disposable Transducers PERCEPTOR DT .....	9
H965640420440.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	15	H965700361601.....Disposable Transducers PERCEPTOR DT .....	9
H965640420460.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17	H965700362001.....Traditional Angiographic Manifolds, Two-Valve with Rotating Adaptor, Medium Pressure.....	13
H965640420470.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 2 Foot Length .....	20	H965700362021.....Traditional Angiographic Manifolds, Two-Valve with Rotating Adaptor, Medium Pressure.....	13
H965640420480.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	18	H965700363011.....Traditional Angiographic Manifolds, Three-Valve with Rotating Adaptor, Medium Pressure.....	12
H965640420490.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17	H965700363031.....Traditional Angiographic Manifolds, Three-Valve with Rotating Adaptor, Medium Pressure.....	12
H965640420500.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	15	H965700372001.....Traditional Angiographic Manifolds, Two-Valve with Rotating Adaptor, High Pressure.....	12
H965640420500.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	16	H965700372021.....Traditional Angiographic Manifolds, Two-Valve with Rotating Adaptor, High Pressure.....	12
H965640420510.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 6 Foot Length .....	19	H965700372121.....Traditional Angiographic Manifolds, Two-Valve with Rotating Adaptor, High Pressure.....	12
H965640420510.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 6 Foot Length .....	20	H965700373011.....Traditional Angiographic Manifolds, Three-Valve with Rotating Adaptor, High Pressure.....	12
H965640420530.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 6 Foot Length .....	19	H965700373031.....Traditional Angiographic Manifolds, Three-Valve with Rotating Adaptor, High Pressure.....	12
H965640420540.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	18	H965700373131.....Traditional Angiographic Manifolds, Three-Valve with Rotating Adaptor, High Pressure.....	12
H965640420560.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 20 Foot Length .....	15	H965700374021.....Traditional Angiographic Manifolds, Four-Valve with Rotating Adaptor, High Pressure.....	12
H965640420610.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17	H965700374041.....Traditional Angiographic Manifolds, Four-Valve with Rotating Adaptor, High Pressure.....	12
H965640459800.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17	H965700374141.....Traditional Angiographic Manifolds, Four-Valve with Rotating Adaptor, High Pressure.....	12
H965700150001.....Stopcock, Three-Way .....	21	H965700381071.....PERCEPTOR™ Pressure Monitoring Manifolds, One-Valve .....	11
H965700150011.....Stopcock, Three-Way .....	21	H965700381081.....PERCEPTOR Pressure Monitoring Manifolds, One-Valve .....	11
H965700150021.....Stopcock, Three-Way .....	21	H965700382001.....Traditional Angiographic Manifolds, Two-Valve with Rotating Adaptor, Medium Pressure.....	13
H965700150031.....Stopcock, Three-Way .....	21	H965700382021.....Traditional Angiographic Manifolds, Two-Valve with Rotating Adaptor, Medium Pressure.....	13
H965700150101.....Stopcock, Four-Way.....	21	H965700382071.....PERCEPTOR Pressure Monitoring Manifolds, Two-Valve .....	11
H965700150111.....Stopcock, Four-Way.....	21	H965700382081.....PERCEPTOR Pressure Monitoring Manifolds, Two-Valve .....	11
H965700150121.....Stopcock, Four-Way.....	21	H965700382121.....Traditional Angiographic Manifolds, Two-Valve with Rotating Adaptor, Medium Pressure.....	13
H965700150131.....Stopcock, Four-Way.....	21	H965700382171.....PERCEPTOR Pressure Monitoring Manifolds, Two-Valve .....	11
H965700150151.....Stopcock, One-Way.....	21	H965700383011.....Traditional Angiographic Manifolds, Three-Valve with Rotating Adaptor, Medium Pressure.....	12
H965700150161.....Stopcock, One-Way.....	21	H965700383031.....Traditional Angiographic Manifolds, Three-Valve with Rotating Adaptor, Medium Pressure.....	12
H965700153121.....Extension Sets with NAMIC™ Stopcock, Three-Way .....	21	H965700383071.....PERCEPTOR Pressure Monitoring Manifolds, Three-Valve.....	11
H965700153201.....Extension Sets with NAMIC Stopcock, Three-Way .....	21	H965700383081.....PERCEPTOR Pressure Monitoring Manifolds, Three-Valve.....	11
H965700153331.....Extension Sets with NAMIC Stopcock, Three-Way .....	21		
H965700154121.....Extension Sets with NAMIC Stopcock, Four-Way.....	21		
H965700154201.....Extension Sets with NAMIC Stopcock, Four-Way.....	21		
H965700154331.....Extension Sets with NAMIC Stopcock, Four-Way.....	21		
H965700300131.....Disposable Transducers PERCEPTOR DT .....	9		
H965700300141.....Disposable Transducers PERCEPTOR DT .....	9		
H965700300201.....Standard Radiology and Right Heart Catheterization .....	24		
H965700300211.....Standard Radiology and Right Heart Catheterization .....	24		
H965700300510.....Pressure Monitoring Accessories for the PERCEPTOR Disposable Transducers.....	14		
H965700300530.....Pressure Monitoring Accessories for the PERCEPTOR Disposable Transducers.....	14		
H965700300540.....Pressure Monitoring Accessories for the PERCEPTOR Disposable Transducers.....	14		
H965700301520.....Pressure Monitoring Accessories for the PERCEPTOR Disposable Transducers.....	14		
H965700350021.....Stopcock, Three-Way .....	21		
H965700350031.....Stopcock, Three-Way .....	21		
H965700350081.....Stopcock, Three-Way .....	21		



# PRODUCT CODE INDEX

H965700412200.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	17	H965904008391.....Contrast Management Systems, Contrast Controller Spike Assembly .....	8
H965700412220.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	16	H965905000181.....Closed Fluid Systems, ANGIO-SAC™ Collection System .....	6
H965700412230.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 12 Foot Length .....	16	H965905000281.....Closed Fluid Systems, ANGIO-SAC Collection System .....	6
H965700412240.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 10 Foot Length .....	18	H965905000401.....Closed Fluid Systems, Closed Fluid Systems for Abscess Drainage .....	6
H965700550031.....Stopcock, Three-Way .....	21	H965905000601.....Closed Fluid Systems, Closed Fluid Systems for Angiography.....	6
H965700550081.....Stopcock, Three-Way .....	21	H965905000651.....Closed Fluid Systems, Closed Fluid Systems for Angiography.....	6
H965700550091.....Stopcock, Three-Way .....	21	H965905000701.....Closed Fluid Systems, Closed Fluid Systems for Angiography.....	6
H965700550171.....Stopcock, One-Way.....	21	H965907010621.....Pressure Monitoring Lines, High Frequency, Female Luer Lock to Male Luer Lock ....	13
H965700581071.....COMPENSATOR™ Pressure Monitoring Manifolds, One-Valve.....	10	H965907011221.....Pressure Monitoring Lines, High Frequency, Female Luer Lock to Male Luer Lock ....	13
H965700581081.....COMPENSATOR Pressure Monitoring Manifolds, One-Valve .....	10	H965907012421.....Pressure Monitoring Lines, High Frequency, Female Luer Lock to Male Luer Lock ....	13
H965700582071.....COMPENSATOR Pressure Monitoring Manifolds, Two-Valve .....	10	H965907013621.....Pressure Monitoring Lines, High Frequency, Female Luer Lock to Male Luer Lock ....	13
H965700582081.....COMPENSATOR Pressure Monitoring Manifolds, Two-Valve .....	10	H965907014821.....Pressure Monitoring Lines, High Frequency, Female Luer Lock to Male Luer Lock ....	13
H965700582171.....COMPENSATOR Pressure Monitoring Manifolds, Two-Valve .....	10	H965907016021.....Pressure Monitoring Lines, High Frequency, Female Luer Lock to Male Luer Lock ....	13
H965700583071.....COMPENSATOR Pressure Monitoring Manifolds, Three-Valve .....	10	H965907017221.....Pressure Monitoring Lines, High Frequency, Female Luer Lock to Male Luer Lock ....	13
H965700583081.....COMPENSATOR Pressure Monitoring Manifolds, Three-Valve .....	10	H965907018421.....Pressure Monitoring Lines, High Frequency, Female Luer Lock to Male Luer Lock ....	13
H965700583171.....COMPENSATOR Pressure Monitoring Manifolds, Three-Valve .....	10	H965907019621.....Pressure Monitoring Lines, High Frequency, Female Luer Lock to Male Luer Lock ....	13
H965700584071.....COMPENSATOR Pressure Monitoring Manifolds, Four-Valve .....	10	H965907021221.....Pressure Monitoring Lines, High Frequency, Male Luer Lock to Male Luer Lock .....	13
H965700584081.....COMPENSATOR Pressure Monitoring Manifolds, Four-Valve .....	10	H965907022421.....Pressure Monitoring Lines, High Frequency, Male Luer Lock to Male Luer Lock .....	13
H965700584171.....COMPENSATOR Pressure Monitoring Manifolds, Four-Valve .....	10	H965907023621.....Pressure Monitoring Lines, High Frequency, Male Luer Lock to Male Luer Lock .....	13
H965700750231.....Angiographic Control Syringes, 20 cc Syringes, Thumb Ring with Finger Rings .....	22	H965907024821.....Pressure Monitoring Lines, High Frequency, Male Luer Lock to Male Luer Lock .....	13
H965700750271.....Angiographic Control Syringes, 20 cc Syringes, Thumb Ring with Finger Rings .....	22	H965907026021.....Pressure Monitoring Lines, High Frequency, Male Luer Lock to Male Luer Lock .....	13
H965700850031.....Angiographic Control Syringes, 10 cc Syringes, Thumb Ring with Finger Rings .....	22	H965907027221.....Pressure Monitoring Lines, High Frequency, Male Luer Lock to Male Luer Lock .....	13
H965700850041.....Angiographic Control Syringes, 10 cc Syringes, Thumb Ring with Finger Rings .....	22	H965907028421.....Pressure Monitoring Lines, High Frequency, Male Luer Lock to Male Luer Lock .....	13
H965700850051.....Angiographic Control Syringes, 10 cc Syringes, Thumb Ring with Finger Rings .....	22	H965907029621.....Pressure Monitoring Lines, High Frequency, Male Luer Lock to Male Luer Lock .....	13
H965700850071.....Angiographic Control Syringes, 10 cc Syringes, Thumb Ring with Finger Rings .....	22	H965907030501.....Arterial Extension Set with Stopcock.....	21
H96570085107 1.....Angiographic Control Syringes, 10 cc Syringes, Thumb Ring with Finger Grips.....	22	H965907030621.....Arterial Extension Set with Stopcock.....	21
H965700870031.....Angiographic Control Syringes, 12 cc Syringes, Thumb Ring with Finger Rings .....	22	H965907030921.....Arterial Extension Set with Stopcock.....	21
H965700870071.....Angiographic Control Syringes, 12 cc Syringes, Thumb Ring with Finger Rings .....	22	H965907031221.....Arterial Extension Set with Stopcock.....	21
H965700871071.....Angiographic Control Syringes, 12 cc Syringes, Thumb Ring with Finger Grips.....	22	H965907051011.....Adaptors, Female Luer Lock to Female Luer Lock Tubing Connector .....	24
H965700880031.....Angiographic Control Syringes, 12 cc Syringes, Thumb Ring with Finger Rings .....	22	H965907052021.....Adaptors, Male Luer Lock to Male Luer Lock Tubing Connector .....	24
H965700880071.....Angiographic Control Syringes, 12 cc Syringes, Thumb Ring with Finger Rings .....	22	H965907110621.....Pressure Monitoring Lines, Pediatric, Female Luer to Male Luer Lock .....	14
H965700950031.....Angiographic Control Syringes, 10 cc Syringes, Palm Pad with Finger Rings.....	22	H965907111221.....Pressure Monitoring Lines, Pediatric, Female Luer to Male Luer Lock .....	14
H965700950071.....Angiographic Control Syringes, 10 cc Syringes, Palm Pad with Finger Rings.....	22	H965907112421.....Pressure Monitoring Lines, Pediatric, Female Luer to Male Luer Lock .....	14
H965700951071.....Angiographic Control Syringes, 10 cc Syringes, Palm Pad with Finger Grips .....	22	H965907113621.....Pressure Monitoring Lines, Pediatric, Female Luer to Male Luer Lock .....	14
H965700970031.....Angiographic Control Syringes, 12 cc Syringes, Palm Pad with Finger Rings.....	22	H965907114821.....Pressure Monitoring Lines, Pediatric, Female Luer to Male Luer Lock .....	14
H965700970071.....Angiographic Control Syringes, 12 cc Syringes, Palm Pad with Finger Rings.....	22	H965907117221.....Pressure Monitoring Lines, Pediatric, Female Luer to Male Luer Lock .....	14
H965700971071.....Angiographic Control Syringes, 12 cc Syringes, Palm Pad with Finger Grips .....	22	H965907121221.....Pressure Monitoring Lines, Pediatric, Male Luer Lock to Male Luer Lock .....	14
H965700980031.....Angiographic Control Syringes, 12 cc Syringes, Palm Pad with Finger Rings.....	22	H965907122421.....Pressure Monitoring Lines, Pediatric, Male Luer Lock to Male Luer Lock .....	14
H965700980071.....Angiographic Control Syringes, 12 cc Syringes, Palm Pad with Finger Rings.....	22	H965907123621.....Pressure Monitoring Lines, Pediatric, Male Luer Lock to Male Luer Lock .....	14
H965700981071.....Angiographic Control Syringes, 12 cc Syringes, Palm Pad with Finger Grips .....	22	H965907124821.....Pressure Monitoring Lines, Pediatric, Male Luer Lock to Male Luer Lock .....	14
H965704000521.....Pressure Monitoring Standard Pole Mount Kits .....	14	H965907127221.....Pressure Monitoring Lines, Pediatric, Male Luer Lock to Male Luer Lock .....	14
H965704000551.....Pressure Monitoring Standard Pole Mount Kits .....	14	H965910011031.....Contrast Injection Lines, High Pressure .....	7
H965704000571.....Pressure Monitoring Standard Pole Mount Kits .....	14	H965910012031.....Contrast Injection Lines, High Pressure .....	7
H965705051031.....Radiology Control Syringes.....	22	H965910013031.....Contrast Injection Lines, High Pressure .....	7
H965705062031.....Radiology Control Syringes.....	22	H965910014831.....Contrast Injection Lines, High Pressure .....	7
H965904000391.....Contrast Management Systems, Contrast Controller Spike Assembly .....	8	H965910111021.....Contrast Injection Lines, High Pressure .....	7

# PRODUCT CODE INDEX

H965910112021.....Contrast Injection Lines, High Pressure .....	7	H965914000251.....Option 125 Y-Adaptor .....	23
H965910113021.....Contrast Injection Lines, High Pressure .....	7	H965914000281.....Option 125 Y-Adaptor with Low Profile Rotating Adaptor .....	23
H965910114821.....Contrast Injection Lines, High Pressure .....	7	H965914000311.....Tri-Adaptor .....	23
H965910211021.....Contrast Injection Lines, Low Pressure .....	7	H965914000351.....Option 125 Tri-Adaptor .....	23
H965910212021.....Contrast Injection Lines, Low Pressure .....	7	H965914002211.....Y-Adaptor Kit .....	23
H965910213021.....Contrast Injection Lines, Low Pressure .....	7	H965914002251.....Option 125 Y-Adaptor Kit .....	23
H965910214821.....Contrast Injection Lines, Low Pressure .....	7	H965914002281.....Option 125 Y-Adaptor with Low Profile Rotating Adaptor Kit .....	23
H965910311021.....Contrast Injection Lines, clearCIL™ High Pressure Contrast Injection Lines.....	7	H965914002311.....Tri-Adaptor Kit .....	23
H965910311031.....Contrast Injection Lines, clearCIL High Pressure Contrast Injection Lines .....	7	H965914002351.....Option 125 Tri-Adaptor Kit .....	23
H965910312021.....Contrast Injection Lines, clearCIL High Pressure Contrast Injection Lines .....	7	H965914003001.....NAMIC Torque Device.....	23
H965910312031.....Contrast Injection Lines, clearCIL High Pressure Contrast Injection Lines .....	7	H965914004001.....Angiographic Core Wires, Guide Wire Insertion Tools .....	9
H965910313021.....Contrast Injection Lines, clearCIL High Pressure Contrast Injection Lines .....	7	H965940009041.....Closed Fluid Systems, Closed Fluid Systems for Angiography.....	6
H965910313031.....Contrast Injection Lines, clearCIL High Pressure Contrast Injection Lines .....	7	H965940009521.....Closed Fluid Systems, Closed Fluid Systems for Angiography.....	6
H965910314821.....Contrast Injection Lines, clearCIL High Pressure Contrast Injection Lines .....	7	H965940009541.....Closed Fluid Systems, Closed Fluid Systems for Angiography.....	6
H965910314831.....Contrast Injection Lines, clearCIL High Pressure Contrast Injection Lines .....	7	H965970001011.....Angiographic Core Wires, Fixed Core, Straight.....	9
H965910511021.....Contrast Injection Lines, flexCIL™ High Pressure Contrast Injection Lines.....	7	H965970001031.....Angiographic Core Wires, Fixed Core, Straight.....	9
H965910511031.....Contrast Injection Lines, flexCIL High Pressure Contrast Injection Lines .....	7	H965970001051.....Angiographic Core Wires, Fixed Core, Straight.....	9
H965910512021.....Contrast Injection Lines, flexCIL High Pressure Contrast Injection Lines .....	7	H965970001061.....Angiographic Core Wires, Fixed Core, Straight.....	9
H965910512031.....Contrast Injection Lines, flexCIL High Pressure Contrast Injection Lines .....	7	H965970001071.....Angiographic Core Wires, Fixed Core, Straight.....	9
H965910513021.....Contrast Injection Lines, flexCIL High Pressure Contrast Injection Lines .....	7	H965970001081.....Angiographic Core Wires, Fixed Core, Straight.....	9
H965910513031.....Contrast Injection Lines, flexCIL High Pressure Contrast Injection Lines .....	7	H965970001091.....Angiographic Core Wires, Fixed Core, Straight.....	9
H965910514821.....Contrast Injection Lines, flexCIL High Pressure Contrast Injection Lines .....	7	H965970001121.....Angiographic Core Wires, Fixed Core, Straight.....	9
H965910514831.....Contrast Injection Lines, flexCIL High Pressure Contrast Injection Lines .....	7	H965970001131.....Angiographic Core Wires, Fixed Core, Straight.....	9
H965910516021.....Contrast Injection Lines, flexCIL High Pressure Contrast Injection Lines .....	7	H965970002011.....Angiographic Core Wires, Fixed Core, J-Tip .....	8
H965910516031.....Contrast Injection Lines, flexCIL High Pressure Contrast Injection Lines .....	7	H965970002021.....Angiographic Core Wires, Fixed Core, J-Tip .....	8
H965910517221.....Contrast Injection Lines, flexCIL High Pressure Contrast Injection Lines .....	7	H965970002051.....Angiographic Core Wires, Fixed Core, J-Tip .....	8
H965910517231.....Contrast Injection Lines, flexCIL High Pressure Contrast Injection Lines .....	7	H965970002081.....Angiographic Core Wires, Fixed Core, J-Tip .....	8
H965913000011.....Fluid Delivery Systems, with Drip Chamber .....	10	H965970002101.....Angiographic Core Wires, Fixed Core, J-Tip .....	8
H965913000041.....Fluid Delivery Systems, without Drip Chamber.....	10	H965970002111.....Angiographic Core Wires, Fixed Core, J-Tip .....	8
H965913000051.....Fluid Delivery Systems, with Drip Chamber .....	10	H965970002161.....Angiographic Core Wires, Fixed Core, J-Tip .....	8
H965913000071.....Fluid Delivery Systems, without Drip Chamber.....	10	H965970002171.....Angiographic Core Wires, Fixed Core, J-Tip .....	8
H965913000091.....Fluid Delivery Systems, with Drip Chamber .....	10	H965970002221.....Angiographic Core Wires, Fixed Core, J-Tip .....	8
H965913000111.....Fluid Delivery Systems, with Drip Chamber .....	10	H965970002321.....Angiographic Core Wires, Fixed Core, J-Tip .....	8
H965913000121.....Fluid Delivery Systems, with Drip Chamber .....	10	H965970002351.....Angiographic Core Wires, Fixed Core, J-Tip .....	8
H965913000131.....Fluid Delivery Systems, with Drip Chamber .....	10	H965970003071.....Angiographic Core Wires, Fixed Core, J-Tip .....	8
H965913000201.....Fluid Delivery Systems, Contrast Removal Valve .....	10	H965970004011.....Angiographic Core Wires, Fixed Core, Exchange .....	8
H965913000211.....Fluid Delivery Systems, SOSA™ Pressurized Delivery System .....	10	H965970004021.....Angiographic Core Wires, Fixed Core, Exchange .....	8
H965913000261.....Fluid Delivery Systems, without Drip Chamber.....	10	H965970004051.....Angiographic Core Wires, Fixed Core, Exchange .....	8
H965913000351.....Fluid Delivery Systems, without Drip Chamber.....	10	H965970005011.....Angiographic Core Wires, Movable Core, J-Tip .....	9
H965913000521.....Fluid Delivery Systems, without Drip Chamber.....	10	H965970005031.....Angiographic Core Wires, Movable Core, J-Tip .....	9
H965913013011.....Standard Cardiovascular Kits, Standard Angiographic Kit with NAMIC™ Manifold.....	24	H965970005071.....Angiographic Core Wires, Movable Core, J-Tip .....	9
H965913013031.....Standard Cardiovascular Kits, Standard Angiographic Kit with NAMIC Manifold.....	24	H965970006011.....Angiographic Core Wires, Fixed Core, Straight.....	9
H965913013071.....Standard Angiographic Kit with PERCEPTOR™ NAMIC Manifold.....	24	H965990000691.....Fluid Delivery Systems, without Drip Chamber .....	10
H965913013081.....Standard Angiographic Kit with PERCEPTOR NAMIC Manifold .....	24	H965990000701.....Fluid Delivery Systems, without Drip Chamber .....	10
H965914000211.....Y-Adaptor .....	23	M001452130.....Vaxcel™ Implantable Chest Ports with PASV™ Valve Technology .....	2
H965914000231.....Y-Adaptor with Side Arm Extension.....	23	M001452150.....Vaxcel Implantable Chest Ports with PASV Valve Technology .....	2

## PRODUCT CODE INDEX

M001452200	.....Vaxcel™ Implantable Chest Ports with PASV Valve Technology .....	2	M001459841	.....Vaxcel Mini-Stick Vascular Entry Systems.....	5
M001453620	.....Vaxcel Implantable Chest Ports with PASV Valve Technology .....	2	M001459851	.....Vaxcel Mini-Stick Vascular Entry Systems.....	5
M001453640	.....Vaxcel Implantable Chest Ports with PASV Valve Technology .....	2	M001459861	.....Vaxcel Mini-Stick Vascular Entry Systems.....	5
M001453660	.....Vaxcel Implantable Chest Ports with PASV Valve Technology .....	2	M001459871	.....Vaxcel Mini-Stick Vascular Entry Systems.....	5
M001453680	.....Vaxcel Implantable Chest Ports with PASV Valve Technology .....	2	M001459881	.....Vaxcel Mini-Stick Vascular Entry Systems.....	5
M001454550	.....Catheter Kits .....	3	M001459891	.....Vaxcel Mini-Stick Vascular Entry Systems.....	5
M001454560	.....Peelable Introducer Kits .....	3	M001459901	.....Vaxcel Mini-Stick Vascular Entry Systems.....	5
M001454570	.....MST Kits with 30 cm wire .....	3	M001459911	.....Vaxcel Mini-Stick Vascular Entry Systems.....	5
M001454580	.....IR Kits with 145 cm wire.....	3	M001459921	.....Vaxcel Mini-Stick Vascular Entry Systems.....	5
M001454590	.....MST Kits with 60 cm wire .....	3	M001459931	.....Vaxcel Mini-Stick Vascular Entry Systems.....	5
M001454600	.....Catheter Kits .....	3	M001459941	.....Vaxcel Mini-Stick Vascular Entry Systems.....	5
M001454610	.....Peelable Introducer Kits .....	3	M001MS3K1	.....Insertion Kits .....	5
M001454620	.....MST Kits with 30 cm wire .....	3	M001MS4K1	.....Insertion Kits .....	5
M001454630	.....IR Kits with 145 cm wire.....	3	M001MS5K1	.....Insertion Kits .....	5
M001454640	.....MST Kits with 60 cm wire .....	3	M001MS6K1	.....Insertion Kits .....	5
M001454700	.....Catheter Kits .....	3	M001PRTA66A0	.....Implantable Chest Ports with PASV™ Valve Technology – Single Lumen .....	2
M001454710	.....Peelable Introducer Kits .....	3	M001PRTA66P0	.....Implantable Chest Ports with PASV Valve Technology – Single Lumen .....	2
M001454720	.....MST Kits with 30 cm wire .....	3	M001PRTA96A0	.....Implantable Chest Ports with PASV Valve Technology – Single Lumen .....	2
M001454730	.....IR Kits with 145 cm wire.....	3	M001PRTA96P0	.....Implantable Chest Ports with PASV Valve Technology – Single Lumen .....	2
M001454740	.....MST Kits with 60 cm wire .....	3	M001PRTB10A0	.....Implantable Chest Ports with PASV Valve Technology – Dual Lumen.....	2
M001454750	.....Catheter Kits .....	3	M001PRTB10P0	.....Implantable Chest Ports with PASV Valve Technology – Dual Lumen.....	2
M001454770	.....MST Kits with 30 cm wire .....	3			
M001454780	.....IR Kits with 145 cm wire.....	3			
M001454790	.....MST Kits with 60 cm wire .....	3			
M001455400	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455410	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455420	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455430	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455440	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455450	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455460	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455470	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455480	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455490	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455500	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455510	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455520	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455530	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455540	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455550	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455560	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455570	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455580	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001455590	.....Vaxcel Plus Chronic Dialysis Catheters and Kits.....	4			
M001459801	.....Vaxcel Mini-Stick™ Vascular Entry Systems.....	5			
M001459811	.....Vaxcel Mini-Stick Vascular Entry Systems.....	5			
M001459821	.....Vaxcel Mini-Stick Vascular Entry Systems.....	5			





Navilyst Medical, Inc.  
26 Forest Street  
Marlborough, MA 01752  
[www.navilystmedical.com](http://www.navilystmedical.com)

*For more information, call*  
**518.742.4360**

© 2009 Navilyst Medical, Inc., or its affiliates.  
All rights reserved.

eNAV160 / 05/09

Compensator, Essentials, Mini-Stick, NAMIC, PASV, Perceptor, Vaxcel are trademarks of Navilyst Medical, Inc. All other product names, brand names and trademarks are trademarks or registered trademarks of their respective owners.